

PLATINUM

QUANTUM DISINFECTION™



PERFORMANCE

- all flows up to 12 GPM
- up to 200,000 gallons of use

WATER DISINFECTION

- eliminates microorganisms up to Log 6 (*E. coli*, MS2, etc.)

CERTIFICATIONS

Quantum Disinfection™ is:

- a NSF Certified Component to NSF/ANSI 42 for material requirements only (Certificate #: C0292640-01)
- tested by IAPMO to NSF/ANSI 61 (Certificate #: 23033)
- Certified MOH - China (Certificate #: 2015KF2513)

NO CHEMICALS. NO POWER. NO PATHOGENS

MULTIPLE USES

- well water, tap water, process water and more

| | |
|-------------------------------|-----------------------------------|
| Applications | Point-of-Entry Point-of-Use |
| Power Requirements | None |
| Main Use | Water Disinfection |
| Maximum Flow | 12 GPM 44 L/min |
| Unit Dimensions | 11 x 3 inch 28.0 x 7.6 cm |
| Max Operating Pressure | 125 psi 8.6 bar |
| Expected Life | 200,000 gallons 740,000 liters |
| Water Temperature | 41 - 100 °F 5 - 38 °C |
| Inlet/Outlet FTG Connection * | NPT male - 1 inch |
| Replaceable Cartridge | Yes |

* The unit comes with 1 inch NPT connections (FTG type) but we offer a large choice of other FTG connections (see Owner's Manual - PLATINUM)



info@claire-technologies.com



(984) 242 0855



www.claire-technologies.com



627 Distribution Drive #E,
Morrisville, NC 27560, USA